

Inflation as a Cosmological Collider

Yi Wang 王一, 2018.08.06

The Hong Kong University of Science and Technology



Cosmological Collider Status

Yi Wang 王一, 2018.08.06

The Hong Kong University of Science and Technology



Cosmological Collider Status & Future

Yi Wang 王一, 2018.08.06

The Hong Kong University of Science and Technology



HEP at Higher Energies?

HEP at Higher Energies?




Image: Princeton University

HEP at Higher Energies?





Image: Princeton University

HEP at Higher Energies?




Building colliders



Lesson:


- New physics appears $\propto \log E$
- Cost of colliders $\propto E^{\text{power}}$

Still very important but costly!



HEP at Higher Energies?

Building colliders




Lesson:

- New physics appears $\propto \log E$
- Cost of colliders $\propto E^{\text{power}}$

Still very important but costly!

Collider Built by Nature?



HEP at Higher Energies?

Collider Built by Nature?


High energies in nature

HEP at Higher Energies?

Collider Built by Nature?

High energies in nature:

- Black holes




HEP at Higher Energies?

Collider Built by Nature?

High energies in nature:

- Black holes
- The early universe



HEP at Higher Energies?


Collider Built by Nature?

High energies in nature:

- Black holes
- The early universe

Probably
the highest energy
in our universe

Is it a "collider"?



HEP at Higher Energies?

Collider Built by Nature?


What's needed as a "collider"?

High energies in nature:

- Black holes
- The early universe

Probably
the highest energy
in our universe


Is it a "collider"?



HEP at Higher Energies?

Collider Built by Nature?

What's needed as a "collider"?




Man-made colliders


e.g. LHC

leptons,
photons, jets

e.g. ATLAS, CMS



HEP process:
Create heavy particles
Let them interact



Long-lived
signals



Detectors

Man-made colliders

e.g. LHC

leptons,
photons, jets

e.g. ATLAS, CMS

HEP process:
Create heavy particles
Let them interact

Long-lived
signals

Detectors

Inflation of the
very early universe

$$a(t) \propto \exp(Ht)$$

$T_{GH} \sim H$ is up to 10^{13} GeV

The cosmological collider

Man-made colliders

e.g. LHC

leptons,
photons, jets

e.g. ATLAS, CMS

HEP process:
Create heavy particles
Let them interact

Long-lived
signals

Detectors

Inflation of the
very early universe

$$a(t) \propto \exp(Ht)$$

$T_{GH} \sim H$ is up to 10^{13} GeV

Classical conserved
quantities, such as:
curvature pert ζ
PGW γ_{ij} , isocurvature

The cosmological collider

The curvature perturbation $\zeta(\mathbf{x}) \sim \delta N(\mathbf{x}) \sim \frac{H}{\dot{\phi}} \delta\phi$ ($\phi = \phi_0(t) + \delta\phi(\mathbf{x}, t)$)

Intuitive (probably too rough) $T_{GH} \sim H \rightarrow \delta\phi \sim H$

Formalism: QFT in curved spacetime

$$S = \int d^3x dt a^3(t) \left(\frac{\dot{\phi}^2}{2} + \dots \right),$$

$$\langle \delta\phi^n(\mathbf{x}, t) \rangle = \left\langle \left(\bar{T} e^{i \int^t dt H_I} \right) \delta\phi_{(I)}^n \left(T e^{-i \int^t dt H_I} \right) \right\rangle, \quad \langle \delta\phi^2 \rangle \sim H^2, \quad \langle \delta\phi^3 \rangle \dots$$

PGW & remaining isocurvature fluctuation (if any): similarly

Inflation of the
very early universe

$$a(t) \propto \exp(Ht)$$

$T_{GH} \sim H$ is up to 10^{13} GeV

Classical conserved
quantities, such as:

curvature pert ζ

PGW γ_{ij} , isocurvature

Man-made colliders

e.g. LHC

leptons,
photons, jets

e.g. ATLAS, CMS

HEP process:
Create heavy particles
Let them interact

Long-lived
signals

Detectors

Inflation of the
very early universe

$$a(t) \propto \exp(Ht)$$

$T_{GH} \sim H$ is up to 10^{13} GeV

Classical conserved
quantities, such as:
curvature pert ζ
PGW γ_{ij} , isocurvature

Cosmological
observations, e.g.
CMB, LSS, 21cm

The cosmological collider

Observations: Correlation functions of

- Curvature perturbation ζ
 - From CMB $\Delta T/T$, LSS & 21cm $\delta\rho/\rho$
 - Status: 2pt well measured (COBE DMR)
 - 3pt, ... (non-Gaussianity) not yet observed
- PGW: From CMB B-mode, not yet observed
- Isocurvature: From details of CMB/LSS, not yet observed

Inflation of the
very early universe

$$a(t) \propto \exp(Ht)$$

$T_{GH} \sim H$ is up to 10^{13} GeV

Classical conserved
quantities, such as:

curvature pert ζ
PGW γ_{ij} , isocurvature

Cosmological
observations, e.g.
CMB, LSS, 21cm

Man-made colliders

e.g. LHC

leptons,
photons, jets

What can be studied?

e.g. ATLAS, CMS

HEP process:
Create heavy particles
Let them interact

Long-lived
signals

Detectors

Inflation of the
very early universe

$$a(t) \propto \exp(Ht)$$

$T_{GH} \sim H$ is up to 10^{13} GeV

Classical conserved
quantities, such as:

curvature pert ζ
PGW γ_{ij} , isocurvature

Cosmological
observations, e.g.
CMB, LSS, 21cm

The cosmological collider


What can be studied?

HEP at Higher Energies?


Collider Built by Nature?

What's needed as a "collider"?

What can be studied?



Detections



Information in correlation functions:

Mass: resonance in energy dependence

Spin: angular dependence


Interactions: size & energy envelop

HEP at Higher Energies?


Collider Built by Nature?

What's needed as a "collider"?

What can be studied?



Detections



Information in correlation functions:

Mass: resonance in energy dependence

Chen & YW, 0909.0496, 0911.3380

Arkani-Hamed & Maldacena, 1503.08043

Spin: angular dependence

Arkani-Hamed & Maldacena, 1503.08043

Baumann, Goon, Lee, Pimentel, 1712.06624

Interactions: size & energy envelop

Model dependent, lots of studies


HEP at Higher Energies?

Collider Built by Nature?

What's needed as a "collider"?

What can be studied?

Mass: what's the resonance?



(resonant production)

t

HEP at Higher Energies?

Collider Built by Nature?


What's needed as a "collider"?

What can be studied?


Mass: what's the resonance?

$$k_{\text{decay}} : \frac{k_{\text{decay}}}{a_{\text{decay}}} \sim m$$

(resonant decay)




Heavy particle:
mass m
prob: $\exp(-m / T_{GH})$



$$k_{\text{prod}} : \frac{k_{\text{prod}}}{a_{\text{prod}}} \sim m$$

(resonant production)



k_{prod}

k_{prod}

t

HEP at Higher Energies?

Collider Built by Nature?


What's needed as a "collider"?

What can be studied?


Mass: what's the resonance?

$$k_{\text{decay}} : \frac{k_{\text{decay}}}{a_{\text{decay}}} \sim m$$

(resonant decay)



Heavy particle:
mass m
prob: $\exp(-m / T_{GH})$




phase
changed
by e^{imt}

$$k_{\text{prod}} : \frac{k_{\text{prod}}}{a_{\text{prod}}} \sim m$$

(resonant production)

k_{prod}

k_{prod}



HEP at Higher Energies?

Collider Built by Nature?

What's needed as a "collider"?

What can be studied?

Mass: what's the resonance?

From resonance to interference


interference:

$$\text{corr} \sim \exp[im(t_{\text{decay}} - t_{\text{prod}})]$$

$$\sim \left(\frac{k_{\text{decay}}}{k_{\text{prod}}} \right)^{im/H}$$

$$k_{\text{decay}} : \frac{k_{\text{decay}}}{a_{\text{decay}}} \sim m$$

(resonant decay)



HEP at Higher Energies?


Collider Built by Nature?

What's needed as a "collider"?

What can be studied?

Mass: what's the resonance?

From resonance to interference




interference:

$$\text{corr} \sim \exp[im(t_{\text{decay}} - t_{\text{prod}})]$$

$$\sim \left(\frac{k_{\text{decay}}}{k_{\text{prod}}} \right)^{im/H}$$

actually $\mu = \sqrt{\left(\frac{m}{H}\right)^2 - \frac{9}{4}}$



What's at the energy scale H ?

What's at the energy scale H ?

Accidentally near H ?

- Grand unification
- Neutrino seesaw

Chen, Wang & Xianyu, 1805.02656

What's at the energy scale H ?

Accidentally near H ?

- Grand unification
- Neutrino seesaw

Chen, Wang & Xianyu, 1805.02656

Uplifted to H scale:

- Standard Model

$$\langle h^2 \rangle \sim H^2$$


$$\lambda h^4 \supset \lambda \langle h^2 \rangle h^2 \sim m_{\text{eff}}^2 h^2$$

also: possible $h^2 R \sim H^2 h^2$

Chen & YW, 0911.3380

Chen, YW & Xianyu, 1610.06597

Kumar & Sundrum, 1711.03988



What's at the energy scale H ?

Accidentally near H ?

- Grand unification
- Neutrino seesaw

Chen, Wang & Xianyu, 1805.02656

Uplifted to H scale:

- Standard Model

$$\langle h^2 \rangle \sim H^2$$


$$\lambda h^4 \supset \lambda \langle h^2 \rangle h^2 \sim m_{\text{eff}}^2 h^2$$

also: possible $h^2 R \sim H^2 h^2$

Chen & YW, 0911.3380

Chen, YW & Xianyu, 1610.06597

Kumar & Sundrum, 1711.03988



What's at the energy scale H ?

Accidentally near H ?

- Grand unification
- Neutrino seesaw

Chen, Wang & Xianyu, 1805.02656

Uplifted to H scale:

- Standard Model

$$\langle h^2 \rangle \sim H^2$$

$$\lambda h^4 \supset \lambda \langle h^2 \rangle h^2 \sim m_{\text{eff}}^2 h^2$$

also: possible $h^2 R \sim H^2 h^2$

Chen & YW, 0911.3380

Chen, YW & Xianyu, 1610.06597

Kumar & Sundrum, 1711.03988

- SUSY breaking

Baumann & Green, 1109.0292

Delacretaz, Gorbenko

& Senatore 1610.04227

HEP at Higher Energies?

Collider Built by Nature?

What's needed as a "collider"?


What can be studied?

Mass: what's the resonance?

From resonance to interference

What's at the energy scale H ?

How is the collider "built"?



Expansion history	Chen, Namjoo & YW, 1509.03930
Testing QM	Maldacena, 1508.01082
Correction to 2pt	Jiang & YW, 1703.04477

HEP at Higher Energies?

Collider Built by Nature?

What's needed as a "collider"?

What can be studied?

Mass: what's the resonance?

From resonance to interference

What's at the energy scale H ?

How is the collider "built"?


Has inflation indeed happened?


SCIENTIFIC AMERICAN FEBRUARY 2017

Cosmic Inflation Theory Faces Challenges

The latest astrophysical measurements, combined with theoretical problems, cast doubt on the long-cherished inflationary theory of the early cosmos and suggest we need new ideas

By Anna Ijjas, Paul J. Steinhardt, Abraham Loeb



 *Observations*

A Cosmic Controversy

A *Scientific American* article about the theory of inflation prompted a reply from a group of 33 physicists, along with a response from the article's authors


Precision Era:
Haven't we known our
universe very well?


SCIENTIFIC AMERICAN FEBRUARY 2017

Cosmic Inflation Theory Faces Challenges

The latest astrophysical measurements, combined with theoretical problems, cast doubt on the long-cherished inflationary theory of the early cosmos and suggest we need new ideas

By Anna Ijjas, Paul J. Steinhardt, Abraham Loeb



 *Observations*

A Cosmic Controversy

A *Scientific American* article about the theory of inflation prompted a reply from a group of 33 physicists, along with a response from the article's authors

Precision Era:

Haven't we known our
universe very well?






Image: Planck Team

Precision Era:
Haven't we known our
universe very well?





We know fluctuations as
functions of scales (k) very well.
 $k \sim -1/\tau$ (conformal time)
Thus we know
fluctuation \leftrightarrow conformal time τ
But what about
fluctuation \leftrightarrow physical time t ?

Precision Era:
Haven't we known our
universe very well?



We know fluctuations as
functions of scales (k) very well.
 $k \sim -1/\tau$ (conformal time)
Thus we know
fluctuation \leftrightarrow conformal time τ
But what about
fluctuation \leftrightarrow physical time t ?





We know fluctuations as functions of scales (k) very well.


$$k \sim -1/\tau \text{ (conformal time)}$$


Thus we know

fluctuation \leftrightarrow conformal time τ

But what about


fluctuation \leftrightarrow physical time t ?





inverse functions
direct probe of expansion history

$a \propto t^p$ then $\langle \phi_{\mathbf{k}_1} \phi_{\mathbf{k}_2} \phi_{\mathbf{k}_3} \rangle \sim \cos \left[\dots \left(\frac{k_1}{k_3} \right)^{\frac{1}{p}} \right]$



HEP at Higher Energies?

Collider Built by Nature?

What's needed as a "collider"?

What can be studied?

Mass: what's the resonance?


From resonance to interference

What's at the energy scale H ?

How is the collider "built"?

Has inflation indeed happened?

Status ??



Challenges for observations ...

HEP at Higher Energies?

Collider Built by Nature?

What's needed as a "collider"?

What can be studied?

Mass: what's the resonance?

From resonance to interference

What's at the energy scale H ?

How is the collider "built"?

Has inflation indeed happened?

Challenges for observations ...

Thank you!

Main References:

- X. Chen & YW, 0909.0496, 0911.3380, 1205.0160
D. Baumann & D. Green, 1109.0292
Noumi, Yamaguchi & D. Yokoyama 1211.1624
Gong, Sasaki & Pi 1306.3691
N. Arkani-Hamed & J. Maldacena, 1503.08043
X. Chen, Namjoo & YW, 1509.03930, 1601.06228
X. Chen, YW & Z. Z. Xianyu, 1610.06597, 1612.08122
An, McAneny, Ridgway & Wise, 1711.02667
S. Kumar & R. Sundrum, 1711.03988
and so on

Acknowledgment

This talk is supported in part by
Grants ECS 26300316 and GRF 16301917 from
Research Grants Council (RGC) of Hong Kong